

Revision Date: 20/10/2022

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	mixture
Product name	Timbond C101 Adhesive cleaner
Product code	AD12C101
Product group	Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Industrial/Professional use spec Industrial For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier	Adkwik Ltd Unit F Dales Manor Business Park Grove Road Sawston Cambridge CB22 3TJ T: +44 (0) 01223 412373 E: technical@adkwik.co.uk
-----------------	--

1.4. Emergency telephone number

Emergency telephone +44 (0) 01223 412373 (NOT 24HRS)
Working Hours: Weekdays: 8am- 4.30pm (GMT)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H226 Flammable liquids, Category 3
H315 Skin corrosion/irritation, Category 2
H317 Skin sensitisation, Category 1
H336 Specific target organ toxicity — Single exposure, Category 3, Narcosis
H304 Aspiration hazard, Category 1
H400 Hazardous to the aquatic environment — Acute Hazard, Category 1
H411 Hazardous to the aquatic environment — Chronic Hazard, Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May cause drowsiness or dizziness. Causes skin irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Signal word

Danger

Contains

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics, citrus terpenes

Hazard statements

H226 Flammable liquid and vapour. H304 - May be fatal if swallowed and enters airways.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H336 May cause drowsiness or dizziness. H400 - Very toxic to aquatic life.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 Keep container tightly closed.
 P240 Ground and bond container and receiving equipment.
 P241 Use explosion-proof electrical equipment.
 P261 Avoid breathing mist, spray, vapours.
 P264 Wash hands thoroughly after handling.
 P271 Use only outdoors or in a well-ventilated area.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P301+P310 IF SWALLOWED: Immediately call a doctor.
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P312 Call doctor if you feel unwell.
 P321 Specific treatment (see supplemental first aid instruction on this label).
 P331 Do NOT induce vomiting.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P370+P378 In case of fire: Use sand, foam, carbon dioxide (CO₂), dry extinguishing powder to extinguish.
 P391 Collect spillage.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P403+P235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.
 P501 Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH-statements

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Note
hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC-No.: 919-857-5 REACH-no: 01-2119463258-33-XXXX	≥ 50	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304	
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
citrus terpenes	CAS-No.: 8028-48-6 EC-No.: 232-433-8 REACH-no: 01-2119493353-35-XXXX	25 – 30	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	Call a physician immediately. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	Gently wash with plenty of soap and water. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Get medical advice/attention. Repeated exposure may cause skin dryness or cracking.
First-aid measures after eye contact	Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution. Rinse immediately with plenty of water.
First-aid measures after ingestion	Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	May cause drowsiness or dizziness.
Symptoms/effects after inhalation	May cause irritation to the respiratory tract and to other mucous membranes. May cause an allergic skin reaction. May cause drowsiness or dizziness.
Symptoms/effects after skin contact	Prolonged or repeated contact may cause dermatitis by loss of natural skin fats. Irritation. May cause an allergic skin reaction. Causes skin irritation.
Symptoms/effects after eye contact	May cause slight temporary irritation.
Symptoms/effects after ingestion	Swallowing the liquid may cause aspiration into the lungs with the risk of chemical pneumonitis. Risk of lung oedema. May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable extinguishing media Water spray. Dry powder. Foam. Carbon dioxide. Sand.

Unsuitable extinguishing media Use of heavy stream of water may spread fire. Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard Flammable liquid and vapour.

Explosion hazard Heavier than air, vapours may travel long distances along ground, ignite and flash back to source. May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire Carbon monoxide. Carbon dioxide

5.3. Advice for firefighters

Firefighting instructions Contain the spreading of extinguishing fluids (this product may be hazardous for the environment). Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

General measures Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapours/spray.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Additional hazards when processed	Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking.
Hygiene measures	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	Ground/bond container and receiving equipment. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical equipment.
Storage conditions	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Keep only in the original container in a cool, well ventilated place away from : Direct sunlight.
Incompatible products	Strong oxidizing agents. Acids. Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/Personal protection**8.1. Control parameters****8.1.1 National occupational exposure and biological limit values**

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

Respiratory protection: Mask with a filter against organic vapours in a poorly ventilated environment. In case of inadequate ventilation wear respiratory protection.

8.2.2. Personal protection equipment

Personal protective equipment: Gloves. Safety glasses. Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses. Chemical goggles or safety glasses

Eye protection

Type	Field of application	Characteristics	Standard
Safety glasses	To protect against splashes from pouring	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Standard EN 374 - Protective gloves against chemicals. Wear protective gloves.

Other skin protection

Materials for protective clothing: Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

8.2.2.3. Respiratory protection

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid
Appearance	Colorless to pale yellow liquid.
Colour	Colourless.
Odour	characteristic.
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	No data available
Flash point	> 40 °C
Auto-ignition temperature	No data available
Decomposition Temperature	No data available
Flammability (solid, gas)	Not applicable, Flammable liquid and vapour.
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	No data available
Solubility	insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	No data available
Viscosity, kinematic	~ 1.1 mm ² /s
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available

9.2. Other information

Other information	No additional information available
--------------------------	-------------------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity	Flammable liquid and vapour.
10.2. Chemical stability	Stable under normal conditions. Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.
10.3. Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use. Not established.
10.4. Conditions to avoid	Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Sparks.
10.5. Incompatible materials	Strong oxidizing agents. Acids. Strong acids. Strong bases.
10.6. Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	8500 mg/m ³
citrus terpenes (8028-48-6)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Skin corrosion/irritation	Causes skin irritation.
Additional information	Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	Not classified
Additional information	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Additional information	'Sensitizing': substances and preparations which, if they are inhaled or if they penetrate the skin, are capable of eliciting a reaction of hypersensitization such that on further exposure to the substance or preparation, characteristic adverse effects are produced.
Germ cell mutagenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Carcinogenicity	Not classified
Additional information	Based on available data, the classification criteria are not met
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	May cause drowsiness or dizziness.
hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day
Aspiration hazard	May be fatal if swallowed and enters airways.
Timbond C101	
Viscosity, kinematic	~ 1.1 mm ² /s
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	Very toxic to aquatic life with long lasting effects.
Ecology - water	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	Toxic to aquatic life with long lasting effects.

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

LC50 - Fish [1]	> 1000 mg/l Rainbow trout, (Oncorhynchus mykiss)
EC50 - Crustacea [1]	> 1000 mg/l
EC50 72h - Algae [1]	> 1000 mg/l

citrus terpenes (8028-48-6)

LC50 - Fish [1]	5.65 mg/l
EC50 - Crustacea [1]	1.1 mg/l
EC50 72h - Algae [1]	4.3 mg/l

12.2. Persistence and degradability

Timbond C101

Persistence and degradability	May cause long-term adverse effects in the environment.
--------------------------------------	---

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Persistence and degradability	Readily biodegradable.
--------------------------------------	------------------------

citrus terpenes (8028-48-6)

Persistence and degradability	Readily biodegradable.
--------------------------------------	------------------------

12.3. Bioaccumulative potential

Timbond C101

Bioaccumulative potential	Not established.
----------------------------------	------------------

citrus terpenes (8028-48-6)

Partition coefficient n-octanol/water (Log Pow)	5.3
--	-----

12.4. Mobility in soil

citrus terpenes (8028-48-6)

Ecology - soil	immiscible and insoluble.
-----------------------	---------------------------

12.5. Results of PBT and vPvB assessment

Component

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	PBT: not relevant – no registration required vPvB: not relevant – no registration required
---	---

12.6. Other adverse effects

Additional information Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions.










Product/Packaging disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information Flammable vapours may accumulate in the container. Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3295	UN 3295	UN 3295	UN 3295	UN 3295
14.2. UN proper shipping name				
HYDROCARBONS, LIQUID, N.O.S.	HYDROCARBONS, LIQUID, N.O.S.	HYDROCARBONS, LIQUID, N.O.S.	HYDROCARBONS, LIQUID, N.O.S.	HYDROCARBONS, LIQUID, N.O.S.
Transport document description				
UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
3	3	3	3	3
 	 	 	 	 
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)	F1
Limited quantities (ADR)	5l
Excepted quantities (ADR)	E1
Packing instructions (ADR)	P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	MP19
Portable tank and bulk container instructions (ADR)	T4
Portable tank and bulk container special provisions (ADR)	TP1, TP29
Tank code (ADR)	LGBF
Vehicle for tank carriage	FL
Transport category (ADR)	3
Special provisions for carriage - Packages (ADR)	V12
Special provisions for carriage - Operation (ADR)	S2
Hazard identification number (Kemler No.)	30

Orange plates

30
3295

Tunnel restriction code (ADR)	D/E
EAC code	3Y

Transport by sea

Special provisions (IMDG)	223
Limited quantities (IMDG)	5 L
Excepted quantities (IMDG)	E1
Packing instructions (IMDG)	P001, LP01
IBC packing instructions (IMDG)	IBC03
Tank instructions (IMDG)	T4
Tank special provisions (IMDG)	TP1, TP29
EmS-No. (Fire)	F-E
EmS-No. (Spillage)	S-D
Stowage category (IMDG)	A
Properties and observations (IMDG)	Immiscible with water.

Air transport

PCA Excepted quantities (IATA)	E1
PCA Limited quantities (IATA)	Y344
PCA limited quantity max net quantity (IATA)	10L
PCA packing instructions (IATA)	355
PCA max net quantity (IATA)	60L
CAO packing instructions (IATA)	366
CAO max net quantity (IATA)	220L
Special provisions (IATA)	A3, A324
ERG code (IATA)	3L

Inland waterway transport

Classification code (ADN)	F1
Limited quantities (ADN)	5L
Excepted quantities (ADN)	E1
Carriage permitted (ADN)	T
Equipment required (ADN)	PP, EX, A
Ventilation (ADN)	VE01
Number of blue cones/lights (ADN)	0

Rail transport

Classification code (RID)	F1
Limited quantities (RID)	5L
Excepted quantities (RID)	E1
Packing instructions (RID)	P001, IBC03, LP01, R001
Mixed packing provisions (RID)	MP19
Portable tank and bulk container instructions (RID)	T4
Portable tank and bulk container special provisions (RID)	TP1, TP29
Tank codes for RID tanks (RID)	LGBF
Transport category (RID)	3
Special provisions for carriage – Packages (RID)	W12
Colis express (express parcels) (RID)	CE4
Hazard identification number (RID)	30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
NOAEL	No-Observed Adverse Effect Level
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	None.

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
EUH066	Repeated exposure may cause skin dryness or cracking.
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
Issued by	Compliance
Revision date	20/10/2022

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.